ELSEVIER International Journal of Mass Spectrometry and Ion Processes 161 (1997) 231

# Author index

Aggarwal, S.K., 11
Anderson, P.D.J., L1
Armentrout, P.B., 175
Aviyente, V., 123

Baranov, V.I., 175
Beauchamp, J.L., 193
Becker, H., 69
Bonk, J., 1
Böhme, D.K., 69, 175

Campbell, S.A., 193
Canoira, L., 113
Chamberlin, E.P., 27
Chen, Y., 175
Clemmer, D.E., 175
Cleven, C.D., 77
Cooks, R.G., 77

Daolio, S., 141
Datta, B. P., 7
De Bièvre, P., 15
DePuy, C.H., 41
Duan, Y., 27

Ervin, K.M., 161

Fabrizio, M., 141
Facchin, B., 141
Fornarini, S., 41

Gao, H., 151
Gareyev, R., 41
Glasmachers, A., 1
Gonfiantini, R., 15
Gubadze, N.V., 87

Hopkinson, A.C., 69
Horn, L.A., 77

Jain, H.C., 11
John, C.M., 47

Kaviladze, M.Sh., 87
Koitabashi, R., 133
Kristóf, J., 141

Laskin, J., L7
Li, W.-K., 151
Lifshitz, C., 123, L7
Liu, Z., 91

March, R.E., 69
Mason, R.S., L1
Mihály, J., 141
Mori, S., 133
Mwakapumba, J., 161

Nappi, M., 77

Odom, R.W., 47
Olivares, J.A., 27

Piccirillo, C., 141

Qi, F., 151

Rodgers, M.T., 193
Rodríguez, J.G., 113

Schidlowski, M., 97
Schröder, D., 175
Schwarz, H., 175
Scott, L.T., 69
Sekiguchi, O., 133
Sheng, L., 151

Tajima, S., 133
Taylor, P.D.P., 15

Urrutia, A., 113

Valkiers, S., 15
Varnali, T., 123

Walczyk, T., 217
Wang, X., 69
Weickhardt, C., L7
Weil, C., 77
Wollnik, H., 77, 91

Ximen, J., 91
Xui, Z., 91

Yu, S., 151

Zhang, R., 123
Zhang, Y., 151
Zyakun, A.M., 97

ELSEVIER International Journal of Mass Spectrometry and Ion Processes 161 (1997) 233–236

Mass Spectrometry and Ion Processes

# Subject index

Ab initio calculations
Experimental and theoretical study of the photoionization and dissociative photoionizations of dichlorodifluoromethane 151

B/E linked scan
Metastable ion study of organosilicon compounds. Part X. *o*-$CH_3C_6H_4COOSi(CH_3)_3$ and *o*-$CF_3C_6H_4COOSi(CH_3)_3$ 133
Benzenium ions
Generation and assay of $C_6H_xD_{7-x}^+$ ($x = 1$–6) benzenium ions: a flowing afterglow–selected ion flow tube study 41

Carbon dioxide
Intramolecular $^{16}O/^{18}O$ variation in carbon dioxide: potential for assessment of environmental $CO_2$ fluxes A feasibility study 97
Carbon isotopes
Intramolecular $^{16}O/^{18}O$ variation in carbon dioxide: potential for assessment of environmental $CO_2$ fluxes A feasibility study 97
Cluster/adsorbate reactions
Reactivity of niobium cluster anions with nitrogen and carbon monoxide 161
Collision induced dissociation (CID)
Collision-induced dissociation of 2- and 3-dimensional polycyclic aromatic hydrocarbon cations in a modified ion-trap detector 69
Collision-induced dissociation
Site-specific lithium ion attachment directs low-energy dissociation pathways of dinucleotides in the gas phase. Application to nucleic acid sequencing by mass spectrometry 193
Corannulene cation
Collision-induced dissociation of 2- and 3-dimensional polycyclic aromatic hydrocarbon cations in a modified ion-trap detector 69
$CO_2$ adsorption
Using isotopic disequilibrium of $CO_2$ to model gas adsorption in mass spectrometric measurements 15
$CO_2$ mass spectrometry
Using isotopic disequilibrium of $CO_2$ to model gas adsorption in mass spectrometric measurements 15
$CO_2$ scrambling reactions
Using isotopic disequilibrium of $CO_2$ to model gas adsorption in mass spectrometric measurements 15

Depth profiling
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141
Dichlorodifluoromethane
Experimental and theoretical study of the photoionization and dissociative photoionizations of dichlorodifluoromethane 151
Dinucleotides
Site-specific lithium ion attachment directs low-energy dissociation pathways of dinucleotides in the gas phase. Application to nucleic acid sequencing by mass spectrometry 193
Dissociation mechanisms
Site-specific lithium ion attachment directs low-energy dissociation pathways of dinucleotides in the gas phase. Application to nucleic acid sequencing by mass spectrometry 193
Dissociative photoionization
Experimental and theoretical study of the photoionization and dissociative photoionizations of dichlorodifluoromethane 151

Electrical pulse induced desorption
An ion source for electrical pulse induced desorption 1
Electrocatalysis
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141
Electron impact
Electron impact mass spectrometry of oxindole, pseudoindoxyle and indolenine derivatives 113
Electron optical design
Design and calculation of an electron impact storage ion source for time-of-flight mass spectrometers 91
Electrostatic potential
Design and calculation of an electron impact storage ion source for time-of-flight mass spectrometers 91

Environmental $CO_2$ flux
Intramolecular $^{16}O/^{18}O$ variation in carbon dioxide: potential for assessment of environmental $CO_2$ fluxes A feasibility study 97

F-compounds
Metastable ion study of organosilicon compounds. Part X. $o$-$CH_3C_6H_4COOSi(CH_3)_3$ and $o$-$CF_3C_6H_4COOSi(CH_3)_3$ 133
Flowing afterglow–selected ion flow tube
Generation and assay of $C_6H_xD_{7-x}^+$ ($x = 1$–6) benzenium ions: a flowing afterglow–selected ion flow tube study 41
FT-ICR mass spectrometry
Site-specific lithium ion attachment directs low-energy dissociation pathways of dinucleotides in the gas phase. Application to nucleic acid sequencing by mass spectrometry 193
FTICR-, GIB-, and SIFT mass spectrometry
Activation of hydrogen and methane by thermalized $FeO^+$ in the gas phase as studied by multiple mass spectrometric techniques 175
Fullerenes
Time-resolved kinetic energy releases for $C_{60}^+ \rightarrow C_{58}^+ + C_2$ L7

H/D exchange
Generation and assay of $C_6H_xD_{7-x}^+$ ($x = 1$–6) benzenium ions: a flowing afterglow–selected ion flow tube study 41
High efficiency
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
High pressure source mass spectrometry
Comment on the accuracy of thermodynamic data derived from studies of gas phase ion–molecule equilibria by the third law and van't Hoff methods L1

Indolenine
Electron impact mass spectrometry of oxindole, pseudoindoxyle and indolenine derivatives 113
Instrumentation
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Ion cyclotron resonance
Comment on the accuracy of thermodynamic data derived from studies of gas phase ion–molecule equilibria by the third law and van't Hoff methods L1
Ion energetics
Site-specific lithium ion attachment directs low-energy dissociation pathways of dinucleotides in the gas phase. Application to nucleic acid sequencing by mass spectrometry 193
Ion source
An ion source for electrical pulse induced desorption 1
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Design and calculation of an electron impact storage ion source for time-of-flight mass spectrometers 91
Ion trajectory
Design and calculation of an electron impact storage ion source for time-of-flight mass spectrometers 91
Ion trap
Collision-induced dissociation of 2- and 3-dimensional polycyclic aromatic hydrocarbon cations in a modified ion-trap detector 69
Time-resolved kinetic energy releases for $C_{60}^+ \rightarrow C_{58}^+ + C_2$ L7
Ion-molecule reactions
Activation of hydrogen and methane by thermalized $FeO^+$ in the gas phase as studied by multiple mass spectrometric techniques 175
Iridium dioxide
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141
Iron
Iron isotope ratio measurements by negative thermal ionisation mass spectrometry using $FeF_4^-$ molecular ions 217
Iron oxide cation
Activation of hydrogen and methane by thermalized $FeO^+$ in the gas phase as studied by multiple mass spectrometric techniques 175
Isotope ratio measurement
Iron isotope ratio measurements by negative thermal ionisation mass spectrometry using $FeF_4^-$ molecular ions 217
Isotope ratios
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Isotope separation
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Isotopic analysis
Determination of Li and B isotopic composition in the microvolumes of meteorites by a highly sensitive, precise method 87
Isotopic composition
Determination of Li and B isotopic composition in the microvolumes of meteorites by a highly sensitive, precise method 87
Isotopic disequilibrium
Using isotopic disequilibrium of $CO_2$ to model gas adsorption in mass spectrometric measurements 15

KER
Time-resolved kinetic energy releases for $C_{60}^{+} \rightarrow C_{58}^{+} + C_2$ L7

Laser ion source
Determination of Li and B isotopic composition in the microvolumes of meteorites by a highly sensitive, precise method 87
Lithium and boron isotopes
Determination of Li and B isotopic composition in the microvolumes of meteorites by a highly sensitive, precise method 87
Loose transition state
Time-resolved kinetic energy releases for $C_{60}^{+} \rightarrow C_{58}^{+} + C_2$ L7

Mass spectrometry
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Mathematical modeling
Intramolecular $^{16}O/^{18}O$ variation in carbon dioxide: potential for assessment of environmental $CO_2$ fluxes A feasibility study 97
Metastable ion
Metastable ion study of organosilicon compounds. Part X. *o*-$CH_3C_6H_4COOSi(CH_3)_3$ and *o*-$CF_3C_6H_4COOSi(CH_3)_3$ 133

Negative thermal ionisation mass spectrometry
Iron isotope ratio measurements by negative thermal ionisation mass spectrometry using $FeF_4^-$ molecular ions 217
Non-fixed energy
Time-resolved kinetic energy releases for $C_{60}^{+} \rightarrow C_{58}^{+} + C_2$ L7
Nuclear astrophysics
Determination of Li and B isotopic composition in the microvolumes of meteorites by a highly sensitive, precise method 87

Organic microanalysis
Static secondary ion mass spectrometry (SSIMS) of biological compounds in tissue and tissue-like matrices 47
Ortho-effect
Metastable ion study of organosilicon compounds. Part X. *o*-$CH_3C_6H_4COOSi(CH_3)_3$ and *o*-$CF_3C_6H_4COOSi(CH_3)_3$ 133
Oxide film electrode
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141
Oxindole
Electron impact mass spectrometry of oxindole, pseudoindoxyle and indolenine derivatives 113
Oxygen isotopes
Intramolecular $^{16}O/^{18}O$ variation in carbon dioxide: potential for assessment of environmental $CO_2$ fluxes A feasibility study 97

PAH cations
Collision-induced dissociation of 2- and 3-dimensional polycyclic aromatic hydrocarbon cations in a modified ion-trap detector 69
Phase transitions
Time-resolved kinetic energy releases for $C_{60}^{+} \rightarrow C_{58}^{+} + C_2$ L7
Proton affinities
Comment on the accuracy of thermodynamic data derived from studies of gas phase ion–molecule equilibria by the third law and van't Hoff methods L1
Proton transfer
Generation and assay of $C_6H_xD_{7-x}^{+}$ ($x = 1$–6) benzenium ions: a flowing afterglow–selected ion flow tube study 41
Protonated benzene
Generation and assay of $C_6H_xD_{7-x}^{+}$ ($x = 1$–6) benzenium ions: a flowing afterglow–selected ion flow tube study 41
Pseudoindoxyle
Electron impact mass spectrometry of oxindole, pseudoindoxyle and indolenine derivatives 113

Quadrupole
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Quadrupole ion trap
Visual representations of simulated three-dimensional ion trajectories in an ion trap mass spectrometer 77

Ruthenium dioxide
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141

Secondary ion mass spectrometry
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141
Static secondary ion mass spectrometry (SSIMS) of biological compounds in tissue and tissue-like matrices 47
Si-compounds
Metastable ion study of organosilicon compounds.

Part X. $o$-$CH_3C_6H_4COOSi(CH_3)_3$ and $o$-$CF_3C_6H_4COOSi(CH_3)_3$ 133
Simulation
Visual representations of simulated three-dimensional ion trajectories in an ion trap mass spectrometer 77

Thermal ionization
Development of a new high-efficiency thermal ionization source for mass spectrometry 27
Thermodynamic data
Comment on the accuracy of thermodynamic data derived from studies of gas phase ion–molecule equilibria by the third law and van't Hoff methods L1
Third-law method
Comment on the accuracy of thermodynamic data derived from studies of gas phase ion–molecule equilibria by the third law and van't Hoff methods L1
Time-of-flight mass spectrometer
Design and calculation of an electron impact storage ion source for time-of-flight mass spectrometers 91
Titanium dioxide
Influence of support material on formation of electrocatalytic thin films—a secondary ion mass spectrometry study 141
Trajectory
Visual representations of simulated three-dimensional ion trajectories in an ion trap mass spectrometer 77
Transition metal cluster ions
Reactivity of niobium cluster anions with nitrogen and carbon monoxide 161

Van't Hoff method
Comment on the accuracy of thermodynamic data derived from studies of gas phase ion–molecule equilibria by the third law and van't Hoff methods L1